

Worksurface

Power, Data, & Communications



UNION PRODUCTS INTERNATIONAL

One Industrial Drive

Cromwell, IN 46732

Phone: (260) 856-2196

Fax: (219) 856-2793

<http://www.upi-inc.net>

Above Worksurface

Soft Top



WORKSURFACE

- ✓ Power attaches to worksurface with two snapfit brackets
- ✓ Soft top channel can be cut on site or purchased in appropriate lengths

PANEL

Hard Top




WORKSURFACE

- ✓ Self mating cover eases access
- ✓ Aluminum may be painted, powder coated, or anodized

PANEL

Hidden Power






WORKSURFACE

- ✓ Hidden power hinges flush to worksurface
- ✓ Aluminum is best satin anodized

PANEL

Below Worksurface



DataCom

Datacom Data & Communication Plates And Accessories:

Black Textured Plate


Adapts to thicker, even fabric covered, panels

May be used in conventional wall boxes


Does not rattle or pull out under moderate strain

Adapts to various tolerances of holes for decorator duplexes

To box mount, screw the frame into the box, followed by the textured black face. Cover with a standard wall plate




To panel mount, hold the frame to the back side of a decorator face hole. Insert the textured face plate from the front until latches engage.




Plates




RJ11 or RJ45 Coupler




2 RJ11 or 2 RJ45 Coupler




1 RJ11 and 1 RJ45 Coupler



3 RJ11 or 3 RJ45 Coupler




RJ11 or RJ45 Coupler and BNC Coax or TNC Coax




2 RJ11 and 1 RJ45 Coupler



RJ11 or RJ45 Hardwired




2 RJ11 or 2 RJ45 Hardwired




1 RJ11 or RJ45 Coupler And 1 RJ11 or RJ45 Hardwired



RS232 "Serial" Connector




3 RJ11 or 3 RJ45 Hardwired




2 RJ11 or 2 RJ45 Coupler And BNC or TNC Coax



IBM Type I




2 BNC Coax or 2 TNC Coax



7/8" Generic Round Opening



IBM Type II and RJ11 or RJ45 Coupler



RJ11 or RJ45 Coupler and 2 TNC Coax or 2 BNC Coax



BNC Coax or TNC Coax



RJ11 or RJ45 Hardwired and BNC Coax or TNC Coax



Plug For 7/8" Generic Round Opening

Connectors




IBM Type II



Type A (IBM Type I)



RJ45 Hardwired (Cat 3 & 5)



RS232 25-Pin



RJ45 Coupler



RJ11 Hardwired



RJ11 Coupler



BNC Ethernet



TNC Coaxial



BNC Coaxial